



Jubilee® Material Safety Data Sheet




Section 1 Company and Product Identification

L. Robinson & Company (Gillingham) Limited,
 Incorporating Jubilee® Clips Limited
 Owens Way, Gads Hill,
 Gillingham,
 Kent,
 ME7 2RS

Tel: +44 (0)1634 281200
 Fax: +44 (0)1634 280101

Email: sales@jubileeclips.co.uk
[http:// www.jubileeclips.co.uk](http://www.jubileeclips.co.uk)

Jubilee® Stainless Steel (W4) Light Range



Part Number	Adjustment		Band Width (W) mm	Band Thickness (T) mm	(Y) mm	Recommended Torque Nm	Max Torque Nm	Recommended Max Pressure PSI
	mm	Inches						
000SS	9.5 - 12	3/8 - 1/2	9.9	0.762	12.5	3.4	4.5	203
M00SS	11 - 16	1/2 - 5/8	9.9	0.762	12.5	3.4	4.5	203
00SS	13 - 20	1/2 - 3/4	9.9	0.762	12.5	3.4	4.5	203
LR022SS	12 - 22	1/2 - 7/8	9.9	0.762	12.5	3.4	4.5	182
LR027SS	16 - 27	5/8 - 1 1/16	9.9	0.762	12.5	4.5	6.0	182
LR032SS	20 - 32	13/16 - 1 1/4	9.9	0.762	12.5	4.5	6.0	92
LR040SS	25 - 40	1 - 1 9/16	9.9	0.762	12.5	4.5	6.0	92
LR045SS	30 - 45	1 3/16 - 1 3/4	9.9	0.762	12.5	4.5	6.0	92
LR050SS	32 - 50	1 1/4 - 2	9.9	0.762	12.5	4.5	6.0	92
LR060SS	40 - 60	1 9/16 - 2 3/8	9.9	0.762	12.5	4.5	6.0	92
LR070SS	50 - 70	2 - 2 3/4	9.9	0.762	12.5	4.5	6.0	92
LR080SS	60 - 80	2 3/8 - 3 1/8	9.9	0.762	12.5	4.5	6.0	39
LR090SS	70 - 90	2 3/4 - 3 9/16	9.9	0.762	12.5	4.5	6.0	39
LR0100SS	80 - 100	3 1/8 - 4	9.9	0.762	12.5	4.5	6.0	39
LR0110SS	90 - 110	3 9/16 - 4 5/16	9.9	0.762	12.5	4.5	6.0	39
LR0120SS	100 - 120	4 - 4 3/4	9.9	0.762	12.5	4.5	6.0	39
LR0130SS	110 - 130	4 5/16 - 5 1/8	9.9	0.762	12.5	4.5	6.0	39
LR0140SS	120 - 140	4 3/4 - 5 1/2	9.9	0.762	12.5	4.5	6.0	39
LR0150SS	130 - 150	5 1/8 - 6	9.9	0.762	12.5	4.5	6.0	17
LR0160SS	140 - 160	5 1/2 - 6 5/16	9.9	0.762	12.5	4.5	6.0	17

Section 2 Composition/Information on Ingredients

Composition/Information on constituents of iron alloy.

Manganese	< 11%
Chromium	< 30%
Nickel	< 38%
Mo	< 8 %

Other elements vary such as Si, Cu, Ti, in each alloy composition and are generally not classified as hazardous, or are below the concentration levels for classification of these alloys as hazardous, and are not subject to recognised exposure limits.

Section 3 First Aid Measures

Inhalation:	There are no specific symptoms associated with steel in the product forms.
Skin:	There are no specific symptoms associated with steel in the product forms.
Eyes:	Not applicable.
Ingestion:	Not applicable.

Section 4 Fire Fighting Measures

Non flammable

Section 5 Handling and Storage

Store in a dry area

Section 6 Physical and Chemical Properties

Colour:	Metallic grey/silver
Odour:	None
Form/state:	Solid
Melting point:	1454 °C
Max service temp:	870 °C
Min service temp:	-196 °C
Magnetism:	1.008 μ
Resistance:	72 μΩ
Density:	8.03 g/cm ³

Section 7 Stability and Reactivity

Stability:	Stable in normal condition
Reacts with:	Reacts with strong acids, and hydrogen is then one of the substances emitted.
Corrosion Resistance:	NSS 1000hours

Section 8 Toxicological Information

Nickel is classified as a skin sensitizer however numerous patch tests have established that most stainless steels do not cause sensitization, but a few types may result in allergic skin reactions in sensitized individuals after prolonged contact.

No carcinogenic effects resulting from exposure to stainless steels have been reported, either in epidemiological studies or in tests with animals.

Section 9 Ecological Information

No ecological effects are known for the product as a whole.

Section 10 Disposal Considerations

Disposal method: Recyclable, Jubilee® clips' 304 Stainless Steel Light Range are made from key raw material for the production of new Stainless steel. Steel is the world's most recycled construction material and can be recycled with retained material properties.

Section 11 Transport Information

No special requirements are necessary in transporting these products.

Section 12 Regulatory Information

This product conforms to EU Regulation 1097/2006 (REACH)
This product is compliant with EU directive 2011/65/EU (ROHS2)
BS EN ISO 9001:2008 FM00547
BS EN ISO 14001:2004 EMS573195
BS OHSAS 18001:2007 OHS601983

Quality Assurance:



Section 13 Other Information

The information above is believed to be accurate and represents the best information currently available to L. Robinson & Co Ltd. However, L. Robinson & Co Ltd make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall L. Robinson & Co Ltd be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if L. Robinson & Co Ltd has been advised of the possibility of such damages.

Document Issue Date: 18th April 2019

Revision Number: 12